

- NOTE:**
1. TRANSFORMER SITS ON ENCLOSURE BASE
 2. METAL GAUGE TO CSA-C22 No. 94-M91
 3. PAINT ASA # 61 GRAY
 4. BOLTED, KNOCK DOWN CONSTRUCTION
 5. OPEN BOTTOM
 6. COVERED OPENING FOR ACCESS TO LIFTING POINTS

TRANSFORMER:

KVA: 750

PRIMARY VOLTAGE CLASS: 18 KV

- PRIMARY VOLTAGE: 13800 VOLTS DELTA
 12470 VOLTS DELTA
 OTHER _____

- PRIMARY TAPS: 2x2.5% FCAN, 2x2.5% FCBN
 600Y/347 VOLTS
 480Y/277 VOLTS
 OTHER _____

SECONDARY VOLTAGE:

- 95 KV
 10 KV
 220°C
 150°C
 STANDARD
 STANDARD

PRIMARY B.I.L.:

- SECONDARY BIL: _____
 INSULATION CLASS: _____
 TEMPERATURE RISE: _____
 IMPEDANCE: _____
 SOUND LEVEL: _____

WINDING MATERIAL:

- COPPER
 OR
 ALUMINUM



TERMINAL MATERIAL:

- COPPER
 OR
 ALUMINUM




STANDARD FEATURES:

ANTI-VIBRATION PADS

VECTOR DIAGRAM



① NAME PLATE



CSA TYPE 1 (NEMA 1)
 INDOOR USE

APPROX. WEIGHT:
 CORE & COIL: 6200 LBS
 ENCLOSURE: 1250 LBS
 TOTAL: 7450 LBS

Note: Dimensions may change if units are co-ordinated with switchgear. Dimensions are estimates. For firm dimensions contact factory.

REV.	REMARKS	BY	DATE

REX POWER MAGNETICS
 DIVISION OF TRANSFACTOR INDUSTRIES INC.
 18KV CLASS ENCLOSURE OUTLINE
 NEMA-1

DESIGNED BY: N.T.S. DATE: MAY 12, 09
 DRAWN BY: SARKIS DATE: MAY 12, 09
 CHECKED BY: D.M.A. DATE: MAY 12, 09
 TITLE: 750KVA 18KV CLASS ENCLOSURE OUTLINE
 NEMA-1

DRAWING No. 750KVA-BL95-1