

SCHEMATIC 1T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Jumpers to
	600	100.0	n/a
	Secondary volts	Connect Loads to	
	208	X1-X2-X3	
	120	X0-X1, X0-X2 and/or X0-X3	

SCHEMATIC 2T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Jumpers to
	630	105.0	1-1-1
	600	100.0	2-2-2
	570	95.0	3-3-3
	Secondary volts	Connect Loads to	
208	X1-X2-X3		
120	X0-X1, X0-X2 and/or X0-X3		

SCHEMATIC 3T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Jumpers to
	630	105.0	1-1-1
	615	102.5	2-2-2
	600	100.0	3-3-3
	585	97.5	4-4-4
570	95.0	5-5-5	
Secondary volts	Connect Loads to		
208	X1-X2-X3		
120	X0-X1, X0-X2 and/or X0-X3		

SCHEMATIC 4T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Links
	630	105.0	1-2
	615	102.5	2-3
	600	100.0	3-4
	585	97.5	4-5
570	95.0	5-6	
Secondary volts	Connect Loads to		
208	X1-X2-X3		
120	X0-X1, X0-X2 and/or X0-X3		

SCHEMATIC 5T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Connect Lines to
	630	105.0	1-1-1
	600	100.0	2-2-2
	570	95.0	3-3-3
Secondary volts	Connect Loads to		
208	X1-X2-X3		

SCHEMATIC 6T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Connect Lines to
	630	105.0	1-1-1
	615	102.5	2-2-2
	600	100.0	3-3-3
	585	97.5	4-4-4
	570	95.0	5-5-5
Secondary volts	Connect Loads to		
208	X1-X2-X3		

SCHEMATIC 7T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Connect Lines to
	600	100.0	n/a
	Secondary volts	Connect Loads to	
208	X1-X2-X3		

SCHEMATIC 8T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Connect Lines to
	630	105.0	1-1-1
	600	100.0	H1-H2-H3
	570	95.0	2-2-2
	Secondary volts	Connect Loads to	
208	X1-X2-X3		

SCHEMATIC 9T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Jumpers to
	630	105.0	1-1-1
	600	100.0	2-2-2
	570	95.0	3-3-3
	Secondary volts	Connect Loads to	
208	X1-X2-X3		

SCHEMATIC 10T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Jumpers to
	630	105.0	1-1-1
	615	102.5	2-2-2
	600	100.0	3-3-3
	585	97.5	4-4-4
	570	95.0	5-5-5
Secondary volts	Connect Loads to		
208	X1-X2-X3		

SCHEMATIC 11T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Jumpers to
	630	105.0	1-1-1
	600	100.0	2-2-2
	570	95.0	3-3-3
	Secondary volts	Connect Loads to	
240	X1-X2-X3		
120	X1-A or A-X2		

SCHEMATIC 12T	CONNECTIONS		
	Primary: H1-H2-H3		
	Voltage	% Tap	Connect Lines to
	630	105.0	1-1-1
	615	102.5	2-2-2
	600	100.0	3-3-3
	585	97.5	4-4-4
	570	95.0	5-5-5
	Secondary volts	Connect Loads to	
240	X1-X2-X3		
120	X1-A or A-X2		